PARTS LIST				
SL. NO.	QTY.	DESCRIPTION	MODEL	BRAND
	2	BEVELED SWING CLEAR PIN & BARREL CONTINUOUS	7 I I B S C	IVES
2	2	INSET MOTISE EXIT (PUSH SIDE) X LEVER TRIM (PULL SIDE)	94/9575 (MORTISE) x 940 L-BE	VON DUPRIN
3	2	WALL MOUNTED TRACK ARM CLOSER	4000T	LCN
4	2	MAGNETIC DOOR HOLDER	SEM 7850	LCN
5	2	DOORS	LI8 HC CORE	STEELCRAFT
6		FRAME	F16 SINGLE RABBET	STEELCRAFT
7	2	PERIMETER & MEETING EDGE GASKETING (N/A FROM STL)	188/328	ZERO, OTHERS


NOTES:

- I. MAX 4'0" (48") NOMINAL OPENING WIDTH (SHOWN). DOORS ARE DOWNSIZED FOR TYP 3/32" GAPS AT BEVELED DOOR EDGES, AND FOR HINGES.
- 2. FORMULA FOR CLEAR OPENING: FOR ANY NOMINAL OPENING WIDTH "N", THE U.S. ADA CLEAR OPENING WIDTH IS 46-9/16 (48 N), AND THE CBC OPENING WIDTH IS 44-15/16 (48 N).

 CA CBC EXAMPLE: IF A = 3'0", or 36", THEN 44-15/16 (48 36) = 32-15/16 CLEAR OPENING WIDTH.
- 3. ORDER CLOSERS USING ONE OF THE FOLLOWING OPTIONS:
- S2-90-3T FOR 4003T (34"-42" WIDTH) STD TEMPLATE.
- S2-90-4T FOR 4004T (>42"-48" WIDTH) STD TEMPLATE.

INTO FRAME (REFERENCE NFPA80)

- S2-90-ADA FOR 4003T X ST-2967. ST-2967 SHIPS STD 4040XP CYLINDER; SPRING SETTING MUST BE FIELD ADJUSTED TO CLOSE THE DOOR. - MAY SUBSTITUTE (REF NOTE 5) 4000T WALL MOUNTED CLOSER WITH 4040XP DOOR MOUNTED CLOSER AND STD Rw/PA TEMPLATE.
- 4. MIN 12 GAUGE STEEL BACKER (BY OTHERS) FOR MOUNTING CLOSER TO WALL. EXTEND BACKER PAST SIZE OF CLOSER TO SUPPORT MINOR VARIANCES IN CLOSER LOCATION AND DISTANCE TO MOUNTING SCREWS.
- 5. DIMENSIONAL AND CALCULATED VALUES MAY VARY DEPENDING ON ALLOWABLE MANUFACTURING TOLERANCES AS WELL AS DIFFERENCES IN YOUR OPENING SUCH AS WALL THICKNESS, FRAME AND ANCHOR TYPE. - SUBSTITUTE HARDWARE MAY BE USED IF AVAILABLE WITH THIS SYSTEM; CHANGES MAY AFFECT WALLS, DOOR DOWNSIZING AND CLEAR OPENING. (1-3/16)JUNCTION BOX 47-5/8 --- 45-3/8 (CLEAR OPENING = ~44-15/16-PER CA CBC.1010.1.1.1 NEUTRAL EXIT BAR TO STRIKE JAMB SOFFIT) SEE NOTE 2 46-9/16 (CLEAR OPENING = ~46-9/16 PER-TO STRIKE JAMB SOFFIT) SEE NOTE 2 | 2 - | / 4 SEE NOTE 4 (6 - | /8)- | - 5 / 8 (2) 5/8" SHEETS OF WALL BOARD NOMINAL OPENING WIDTH




INTEGRATED DOOR SYSTEM
INPACT SET S2 (711BSC Hinge)

Single Door Application

COPYRIGHT © 2022 SCHLAGE LOCK CO LLC ALL RIGHTS RESERVED

v.7/27/2022



INTEGRATED DOOR SYSTEM (711BSC Hinge)

INPACT SET S2 (711BS Single Door Application COPYRIGHT © 2022 SCHLAGE LOCK CO LLC ALL RIGHTS RESERVED v.7/27/2022



