



PARTS LIST				
SL. NO.	QTY.	DESCRIPTION	MODEL	BRAND
1	1	FULL MORTISE PIN & BARREL CONTINUOUS	700	IVES
2	1	INSET MORTISE EXIT (PUSH SIDE) X LEVER TRIM (PULL SIDE)	94/9575 (MORTISE) x 940 L-BE	VON DUPRIN
3	1	SURFACE MOUNTED PA CLOSER	4040XP	LCN
4	1	MAGNETIC DOOR HOLDER	SEM 7850	LCN
5	1	DOOR	L18 HC CORE	STEELCRAFT
6	1	FRAME	F16 SINGLE RABBET	STEELCRAFT
7	1	PERIMETER	488/188	ZERO, OTHERS

NOTES:

1. MAX 4'0" (48") NOMINAL OPENING WIDTH (SHOWN). DOORS ARE DOWNSIZED FOR TYP 3/32" GAPS AT BEVELED DOOR EDGES, AND FOR HINGES.
2. FORMULA FOR CLEAR OPENING: FOR ANY NOMINAL OPENING WIDTH "N", THE U.S. ADA CLEAR OPENING WIDTH IS $45\text{-}1/16 - (48 - N)$, AND THE CBC OPENING WIDTH IS $43\text{-}7/16 - (48 - N)$.
CA CBC EXAMPLE: IF A = 3'0", or 36", THEN $43\text{-}7/16 - (48 - 36) = 31\text{-}7/16$ CLEAR OPENING WIDTH.
3. ORDER S3-180 FOR 4040XP CLOSER WITH 180 DEGREE STD Rw/PA TEMPLATE.
4. DIMENSIONAL AND CALCULATED VALUES MAY VARY DEPENDING ON ALLOWABLE MANUFACTURING TOLERANCES AS WELL AS DIFFERENCES IN YOUR OPENING SUCH AS WALL THICKNESS, FRAME AND ANCHOR TYPE.
- SUBSTITUTE HARDWARE MAY BE USED IF AVAILABLE WITH THIS SYSTEM; CHANGES MAY AFFECT WALLS, DOOR DOWNSIZING AND CLEAR OPENING.



ALLEGION

INTEGRATED DOOR SYSTEM


IMPACT SET S3

Single Door Application

COPYRIGHT © 2022 SCHLAGE LOCK CO LLC
ALL RIGHTS RESERVED

(700 Hinge)

v.4/4/2022



ALLEGION	INTEGRATED DOOR SYSTEM	
	IMPACT SET S3	(700 Hinge)
	Single Door Application	
	COPYRIGHT © 2022 SCHLAGE LOCK CO LLC ALL RIGHTS RESERVED	
		v.4/4/2022



IMPACT SYSTEM SET S3 (700 Stainless pin & barrel continuous hinge)



INPACT SYSTEM SET S3 (700 Stainless pin & barrel continuous hinge)